

## INTENDED USAGE

## TST 5

The TST 5 system uses a serviceable sealed cartridge with a rubber lung for oil collection. The TST cartridge is provided with a rebound adjuster in the lower area and a 5-position compression adjuster in the upper area. 5th position is Lock-Up

### ATA

ATA offers the user all the benefits of our proven Doppio Air system, with external travel adjustment. 8 turns increase the travel of 40mm. Progressive air automatically compensates to travel changes. Low turning force on the adjuster means that travel can be changed quickly and easily. With the PAR Adjuster you can set up progressivity at the end of travel.

#### TST 2

The TST 2 system uses a serviceable sealed cartridge. The TST cartridge is provided with a rebound adjuster in the lower area and a 2-position compression adjuster and Lock-Up in the upper area.

#### SFA

The SFA (Single Function Air) system is provided with three independent air chambers, allowing customization of settings according to the rider's needs

#### **BCSH**

RC2X: This system is the evolution of RC2 system with an extra X-cartridge on the left leg for the control of the fork's compression at travel end.

#### VA

Each rider can adjust the spring preload and the air volume by simply turning the knobs. By increasing preload the air volume is reduced, and the rider can have more progressivity without the need to open the fork or put stiffer springs.

#### ETA

As you climb, simply flick a switch and the suspension will compress to the idela height (depending on the riders weight). However, unlike a lock-out mechanism, you'll still have 30mm of travel to soak up some of the rough stuff.

#### **BCS**

This new system allows for control of the rebound and compression damping by means of two external adjusters, as well as of the spring preload.

#### RV

The RV (Rebound Valve) system, thanks to the speed sensitive valve, allows for control of the damping system based on the fork's compression and rebound speed, as well as the fork's position in the travel. RV pumping rod is externally adjustable in rebound.

### RCV

The RCV (Rebound Compression Valve) system, thanks to the speed sensitive valve, allows for control of the damping system based on the fork's compression and rebound speed, as well as the fork's position in the travel. RCV pumping rods are externally adjustable in rebound and compression.

TXC	•				
CORSA	•				
XC RETRO	•				
MX	•				
MZ	•				
ALL MOUNTAIN	•	•			
<b>Z.1</b>			•		
DROP-OFF			•		
4X				•	
DIRT JUMPER			•	•	
66		•	•	•	•
888			•		•
SUPER T			•		•

# ΤK

#### TREKKING

Casual riding along hilly trails where only small bumps and some rocks and depressions may be encountered.



#### CROSS COUNTRY

Riding along hilly trails where some bumps and smaller obstacles, such as rocks, roots or depressions, may be encountered.



#### **ALL MOUNTAIN**

Riding based more on XC riding and larger obstacles and smaller jumps.



#### **FREERIDE**

This riding style is for skilled riders and involves aggressive slopes, large obstacles and moderate jumps.



#### **4X**

This "BMX" style riding is only for the most skilled riders and involves racing on a track consisting of jumps and berms made from mounds of dirt which the rider must negotiate by jumping or turning at speed.



#### DIRT JUMPING

This "BMX" style riding is only for the most skilled riders and involves jumping from one mound of dirt to another. It also includes riding over and around man-made or other concrete structures.



#### **DOWNHILL & EXTREME FREERIDE**

This discipline is only for professional or highly skilled riders. It includes relatively high jumps or "drops" and negotiating larger obstacles such as boulders, fallen trees or holes.

### **CORSA SERIES**





AVAILABILITY: SAMPLES -- JUNE ; PRDOUCTION -- JULY

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BRAKE	BRAKE SYSTEM D-BRAKE	OPTIONS	PRODCUTION
CORSA SL World Cup	80 or 100mm	TST 5	Air	Superlight Crown in Titanium	32mm Nickel Coated Alloy Tapered	New Corsa Monolite	Yes	6" Post Mount (max disc 6")	- Remote TST Control	Italy
CORSA SL Race	80 or 100mm	TST2	Air	Superlight Crown in Titanium	32mm Alloy Tapered	New Corsa Monolite	Yes	6" Post Mount (max disc 6")	- Remote TST Control	Italy

#### **XC RETRO SERIES**

PASSION OF OUR FIRST XC SUSPENSION FORKS

(XC 700-XC100) INTO A MODERN DAY DESIGN. THIS

TOTALLY NEW FORK SERIES DESIGNED FOR THE LIGHT

WEIGHT ENDURANCE/XC RACING SCENE, REPLACES THE

MARATHON SERIES. THE ALL NEW 32 MM STANCHION

TUBES, NEW SLIDER DESIGN, NEW AIR TRAVEL ADJUST

SYSTEM, & A WHOLE LOT MORE.



AVAILABILITY: SAMPLES -- MID APRIL ; PRDOUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BRAKE	BRAKE SYSTEM D-BRAKE	OPTIONS	PRODCUTION
XC 700 SL	90 -> 130mm adjustable	TST 5	Air	Alloy XC	32mm Nickel Coated Alloy Tapered	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Remote TST Control	Italy
XC 600 SL	90 -> 130mm adjustable	TSTE ATA	Air	Alloy XC	32mm Alloy	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Remote TST Control	Italy
XC 700	100 or 130mm		1-Side Air 1-Side Coil	Steel	32mm Alloy	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube - Remote TST Control - TI Springs	Italy
XC 600	100 or 130mm	RV ETA	1-Side Air 1-Side Coil	Steel	32mm Alloy	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube - TI Springs	Italy
XC 500	100 or 130mm		Air	Steel	32mm Alloy	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube - Remote TST Control	Italy
XC 400	100 or 130mm	AV	Air	Steel	32mm Alloy	New Corsa Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube	Italy

### **MX SERIES**





AVAILABILITY: SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE		BRAKE SYSTEM	OPTIONS	PRODCUTION
		GI HONG	1112	4 6/104414			V BRAKE			
MX PRO ETA	100 or 120mm		Air	Steel	30mm Alloy	2006 Marathon Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube	Taiwan
MX PRO LO	100 or 120mm	<b>F</b> V L∙OUT	Air	Steel	30mm Alloy	2006 Marathon Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube - Remote L- Out Control	Taiwan
MX PRO	100 or 120mm	AV	Air	Steel	30mm Alloy	2006 Marathon Monolite	Yes	6" Post Mount (max disc 7")	- Alloy Steer Tube	Taiwan

## MZ SERIES





AVAILABILITY: SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BRAKE	BRAKE SYSTEM D-BRAKE	OPTIONS	PRODCUTION
MZ RACE	100 or 120mm	L-OUT COIL/ELAST.	Coil/Elast.	Steel	30mm Cr-Mo Steel	2006 Marathon Monolite		6" Post Mount (max disc 7")		Taiwan
MZ COMP	100 or 120mm	COIL/ELAST.	Coil/Elast.	Steel	30mm Cr-Mo Steel	2006 Merethon Monolite	Yes	6" Post Mount (max disc 7")		Taiwan

### **ALL MOUNTAIN SERIES**

THE MARZOCCHI ALL MOUNTAIN IS TRULY BUILT FOR THE ENTIRE MOUNTAIN. CLIMBING IS A JOY AND DESCENDING IS PURE BLISS. AT A MERE 5 POUNDS, THE ALL MOUNTAIN 1 IS ONE OF THE LIGHTIST LONG TRAVEL SINGLE CROWN FORKS ON THE MOUNTAIN. IT IS FULLY ADJUSTABLE FROM INITIAL SETUP UP ON-THE-FLY TRAIL TUNING. MARZOCCHI DELIVERS THE ENTIRE PACKAGE FOR ALL YOUR MOUNTAIN NEEDS.



AVAILABILITY:
SAMPLES -- MID APRIL; PRODUCTION -- JUNE

								THIL, PHOUUGH		
NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE		Brake System	OPTIONS	PRODCUTION
							V BRAKE	D-BRAKE		
ALL MOUNTAIN SL 1	120 -> 160mm adjustable	TST 5	Air	Alloy FR	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Remote TST Control - New magnesium 20mm Drop-outs (Quick release or Screw lock system) + Axle	Italy
ALL MOUNTAIN SL 2	120 -> 160mm adjustable	TSTE ATA	Air	Alloy FR	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Remote TST Control - New magnesium 20mm Drop-outs (Guick release or Screw lock system) + Axle	Italy
ALL MOUNTAIN	140 or 160mm		1-Side Air 1-Side Coil	Steel	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube - Remote TST Control - New magnesium 20mm Drop-outs (Quick release or Screw lock system) + Axle - TI Springs	Italy
ALL MOUNTAIN	140 or 160mm	AV ETA	1-Side Air 1-Side Coil	Steel	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube - New magnesium 20mm Drop-outs (Quick release or Screw lock system) + Axle - TI Springs	Italy
ALL MOUNTAIN	140 or 160mm		1-Side Air 1-Side Coil	Steel	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube - Remote TST Control - New magnesium 20mm Drop-outs (Quick release or Screw lock system) + Axle	Taiwan
ALL MOUNTAIN	140 or 160mm	AV	1-Side Air 1-Side Coil	Steel	32mm Alloy	All Mountain 9mm Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube - New magnesium 20mm Drop-outs (Guick release or Screw lock system) + Axle	Taiwan

## Z.1 SERIES





AVAILABILITY:
SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BRAKE	BRAKE YSTEM D-BRAKE	OPTIONS	PRODCUTION
Z.1 LIGHT ETA	150mm	ETA RC2	Coil	Alloy FR Steer Tube Crown W/ Bolts	32mm Alloy	Z.1 Monolite 20mm + Axle	No	INTL STD	- TI Springs	Italy
Z.1 SPORT RCV	150mm	RCV	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Alloy	Z.1 Monolite 20mm + Axle	No	INTL STD	- Alloy Steer Tube	Taiwan
Z.1 SPORT RV	150mm	HYD. SYS	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Alloy	Z.1 Monolite 20mm + Axle	No	INTL STD	- Alloy Steer Tube	Taiwan
DROP-OFF	150mm	INT. REBOUND HYD. SYS	1-Side Air 1-Side Coil	Forged FR Crown Steel Steer Tube	32mm Steel	Z.1 Monolite 9mm	No	INTL STD	- MY2006 20mm Drop-Outs W/ Bolts	Taiwan

## **4X WC SERIES**





AVAILABILITY:
SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE		RAKE 'STEM E D-BRAKE	OPTIONS	PRODCUTION
4X WC	110mm	AV	1-Side Air 1-Side Coil	Alloy FR Steer Tube	32mm Alloy	New Magnesium 20mm Quick Release & Axle	No	6" Post Mount (max disc 8")	- TI Spring on one side	Italy
		HYD. SYS								

#### **DIRT JUMPER SERIES**

OUR DIRT JUMPER LINE CONTINUES TO PROGRESS

ALONG WITH THE NEW TRICKS AND RIDERS NOW

EMERGING ONTO THE DIRT JUMP SCENE. THE

MARZOCCHI DIRT JUMPER NOW FEATURES A PINCH BOLT

CROWN AND EXTERNAL REBOUND ADJUSTMENT.



AVAILABILITY: SAMPLES -- MID APRIL ; PRDOUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	S'	irake Ystem Ke d-Brake	OPTIONS	PRODCUTION
DIRT JUMPER	80 or 100mm	RCV	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Alloy	DJ Monolite 9mm	No	INTL STD	- Reinforced Alloy Steer Tube - MY06 20mm Drop-Outs W/ Bolts	ltaly
DIRT JUMPER 2	80 or 100mm	HYD. SYS	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Alloy	DJ Monolite 9mm	No	INTL STD	- Reinforced Alloy Steer Tube - MY06 20mm Drop-Outs W/ Bolts	Italy
DIRT JUMPER 3	80 or 100mm	<b>FIV</b> SPRING	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Alloy	DJ Monolite 9mm	No	INTL STD	- Reinforced Alloy Steer Tube - MY06 20mm Drop Outs W/ Bolts	Taiwan
DIRT JUMPER  3 Steel Stanchions	80 or 100mm	<b>FP</b>	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Steel	DJ Monolite 9mm	No	INTL STD	- Reinforced Alloy Steer Tube - MY06 20mm Drop Outs W/ Bolts	Taiwan
DIRT JUMPER 4	80 or 100mm	COIL/ ELAST	Coil	Reinforced Steel Steer Tube Crown W/ Bolts	32mm Steel	DJ Monolite 9mm	No	INTL STD	- Reinforced Alloy Steer Tube - MY06 20mm Drop Outs W/ Bolts	Taiwan

#### 66 SERIES

IMAGINE A FORK THAT HAS THE INSTINCTS AND
PEDIGREE OF A 888, BUT IN A SINGLE CROWN. THIS
YEAR MARZOCCHI PRESENTS A NEW AND IMPROVED
66 FOR 2006. IT'S EVOLUTION CONTINUES WITH A NEW
MAGNESIUM LOWER, NEW CROWN, AND DISC BRAKE
POST MOUNTS. THE 66 SERIES NOW HAS FOUR MODELS
TO SUIT YOUR RIDING STYLE. PROGRESSIVE FREERIDERS
DEMAND A FORK THAT WORKS ON THE BIG DROPS WITH
THE FREEDOM OF A SINGLE CROWN. THE 66 SERIES
DELIVERS.



AVAILABILITY: SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE		BRAKE SYSTEM D-BRAKE	OPTIONS	PRODCUTION
66 SL 1 ATA	140 -> 180mm Adjustble	ATA	Air	Reinforced Alloy	35mm Alloy Tapered	66 Monolite	No	6" Post Mount (max disc 8")	- OEM Only: 1.5" Steer Tube Alloy - We thought it would never happen	Italy
66 SL 2 ATA	140 -> 180mm Adjustble	ATA	Air	Reinforced Alloy	35mm Alloy	66 Monolite	No	6" Post Mount (max disc 8")	- OEM Only: 1.5" Steer Tube Alloy - We thought it would never happen	Italy
66 RC2X	160 or 180mm	RC2H	Coil	Reinforced Alloy	35mm Alloy Tapered	66 Monolite	No	6" Post Mount (max disc 8")	- TI Springs - OEM Only: 1.5" Steer Tube Alloy - We thought it would never happen	Italy
66 RC2 ETA	160 or 180mm	RC2	Coil	Reinforced Steel	35mm Alloy	66 Monolite	No	6" Post Mount (max disc 8")	- Reinforced Heavy Duty Alloy Steer Tube - TI Springs - OEM Only: 1.5" Steer Tube Alloy - We thought it would never happen	Italy
66 RV ETA	160 or 180mm	ETA	Coil	Reinforced Steel	35mm Alloy	66 Monolite	No	6" Post Mount (max disc 8")	- Reinforced Heavy Duty Alloy Steer Tube - TI Springs - OEM Only: 1.5" Steer Tube Alloy - We thought it would never happen	Italy
66 RCV	160 or 180mm	RCV	Coil	Reinforced Steel	35mm Alloy	66 Monolite	No	6" Post Mount (max disc 8")	Reinforced Heavy Duty Alloy Steer Tube     OEM Only: 1.5" Steer Tube Alloy     We thought it would never happen	Italy
66 RV	160 or 180mm	AV	Coil	Reinforced Steel	35mm Alloy	66 Monolite	No	6" Post Mount (max disc 8")	Reinforced Heavy Duty Alloy Steer Tube     OEM Only: 1.5" Steer Tube Alloy     We thought it would never happen	Italy

2006

WE TAKE OUR FREERIDE AND DOWNHILL SUSPENSION

VERY SERIOUSLY. THE 888'S GARNERED ACCOLADES IN

ALL THE MAJOR FREERIDE CONTESTS. IN FACT, FABIEN

BAREL WON TWO CONSECUTIVE WORLD CHAMPIONSHIPS


ON THIS FORK.


THIS YEAR MARZOCCHI OFFERS YOU THE VERY BEST IN
FREERIDE TECHNOLOGY THAT'S BEEN TESTED ON THE
TRAILS AND TRUSTED BY THE PROS.



AVAILABILITY: SAMPLES -- MID APRIL; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BR	BRAKE SYSTEM AKE D-BRAKE	OPTIONS	PRODCUTION
888 SL ATA TBD	170 - 200mm Adjustble	ATA	Air <b>3</b> D	Alloy	35mm Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")		ltaly
888 RC2X WORLD CUP	200mm	PCSH	TI Springs	Alloy	35mm Nickel Coated Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")		Italy
888 RC2X VA	200mm	PCSH	Coil	Alloy	35mm Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")	- TI Springs	Italy
888 RC2 VA	200mm	RC2	Coil	Alloy	35mm Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")	- TI Springs	Italy
888 RCV	200mm	RCV	Coil	Steel	35mm Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube	ltaly
888 RV	200mm	AV	Coil	Steel	35mm Alloy	New Post Mount 888 Monolite	No	6" Post Mount (max disc 8")	- Alloy Steer Tube	Italy





Crown code	Stroke	А
Marzocchi cod.502559LA	200	605
Marzocchi cod.502586LA	200	580.5



## SUPER T SERIES

WE TAKE OUR FREERIDE AND DOWNHILL SUSPENSION

VERY SERIOUSLY. THE SUPER T GARNERED ACCOLADES

IN ALL THE MAJOR FREERIDE CONTESTS. IN FACT,

FABIEN BAREL WON TWO CONSECUTIVE WORLD

CHAMPIONSHIPS ON THIS FORK.

THIS YEAR MARZOCCHI OFFERS YOU THE VERY BEST IN

FREERIDE TECHNOLOGY THAT'S BEEN TESTED ON THE

TRAILS AND TRUSTED BY THE PROS.



AVAILABILITY: SAMPLES -- MID APRIL ; PRODUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE	V BR	BRAKE SYSTEM AKE D-BRAKE	OPTIONS	PRODCUTION
SUPER T	185mm	RCV	Coil	Steel	32mm Alloy	New 20mm Drop-Outs Screw Lock System	No	6" Post Mount (max disc 8")	- Alloy Steer Tube	Taiwan
SUPER T	185mm	AV	Coil	Steel	32mm Alloy	New 20mm Drop-Outs Screw Lock System	No	6" Post Mount (max disc 8")	- Alloy Steer Tube	Taiwan

## TXC SERIES





AVAILABILITY: SAMPLES -- MID APRIL ; PRDOUCTION -- JUNE

NAME	TRAVEL	ADJUSTABILITY OPTIONS	SPRING TYPE	STEER TUBE & CROWN	STANCHIONS	MONOLITE		BRAKE SYSTEM	OPTIONS	PRODCUTION
							V BRAKE	D-BRAKE		
TXC LOCK- OUT	60 or 80mm	ECC	Air	300mm Steel	28mm Alloy	28mm Monolite	Yes	INTL STD & DRUM Brake Mount	- 300mm Alloy Steer Tube	Taiwan
тжс <b>1</b>	60 or 80mm	<b>PIST ROD</b>	Air	300mm Steel	28mm Alloy	28mm Monolite	Yes	INTL STD & DRUM Brake Mount	- 300mm Alloy Steer Tube	Taiwan
ткс 2	60 or 80mm	COIL / ELAST.	Air	300mm Steel	28mm Alloy	28mm Monolite	Yes	INTL STD & DRUM Brake Mount	- 300mm Alloy Steer Tube	Taiwan

## TIRES SERIES

IN ADDITION TO THE FRONT FORK, TIRES ARE AN

EXTENSION OF A BIKE'S SUSPENSION. SO, IT WAS ONLY

A MATTER OF TIME BEFORE WE CREATED A TIRE TO

COMPLIMENT OUR QUALITY SUSPENSION PRODUCTS.

MARZOCCHI OFFERS THE BOMBER TIRE IN A 2.3" AND A

2.6" SIZE. WE'RE ALSO EXCITED TO OFFER IT IN OUR NEW

D40 SOFT COMPOUND WHICH WAS PERFECTED ON THE

WET, ROOTY TRAILS OF THE NORTH SHORE.



AVAILABILITY:
SAMPLES -- MID APRIL; PRDOUCTION -- JUNE

NAME	SIZE	OUTSIDE DIAMETER	WIDTH	BEAD	COLOR	TREAD / DUROMETER	CASING	PRESSURE	WEIGHT
			(TREAD/CASING)		(TREAD/SIDEWALL)	(SHORE A)		(SUGG./MAX. BAR PSI)	
DH TIRES	26 x 2.6	688mm	62/61mm	Wire	Black/Black	Carbon Silica/61	Double SW OLC,	1.5/2.5	1350g
	559 x 75mm						32 tpi	(29/65)	
DH TIRES	26 x 2.3	673mm	57/55mm	Wire	Black/Black	Carbon Silica/61	Double SW OLC,	2.0/4.5	1150g
	559 x 62mm						32 tpi	(22/36)	
GW TIRES	26 x 2.6	688mm	62/61mm	Wire	Black/Black	Carbon Silica/61	Gum Wall OLC,	2.0/2.5	1280g
	559 x 62mm						22 tpi	(29/36)	
GW TIRES	26 x 2.3	673mm	57/55mm	Wire	Black/Black	Carbon Silica/61	Gum Wall OLC,	2.5/4.5	1080g
	559 x 57mm						22 tpi	(36/65)	

Weight may vary  $\pm$ -5% and dimensions 0.5% due to processing of natural materials. All dimensions are measured on a 30.5mm inside rim diameter.

## STICKY RUBBER NOW AVAILABLE!

## **ROCO SERIES**

THE ROCO RC IS A TOTALLY NEW DEVELOPMENT IN

REAR SHOCK TECHNOLOGY. WE CREATED AN ACTIVE,

LIGHTWEIGHT SHOCK WITH BIG BUMP PERFORMANCE

WITHOUT THE HASSLE OF A PLATFORM SYSTEM. IT HAS

ADJUSTABLE HIGH SPEED COMPRESSION VALVING,

REBOUND, AND AIR PRESSURE. WITH 1/2" EYELET BUSHING

AND STANDARD SPRING SIZES, THIS SHOCK IS COMPATIBLE

WITH MOST SHOCK MANUFACTURERS. WE ALSO CREATED

THE ROCOTO BE COMPLETELY REBUILT WITHOUT ANY

SPECIAL TOOLS. OF COURSE, LIKE ALL OTHER MARZOCCHI

PRODUCTS, OUR REAR SHOCK COMES WITH FULL SUPPORT

FOR REPAIRS & REBUILDS.



AVAILABILITY:
SAMPLES -- MID APRIL; PRODUCTION -- JUNE


		_		SAMPLES IVIID APRIL; PRODUCTION JUNE
NAME	FEATURES	OPTIONS		INTENDED USAGE AVAILABLE LENGTHS
			Extreme Freeride/ Downhill	241.3 x 76.2mm
	HSCV High Speed Comp	Titanium Spring	Extreme Freeride/ Downhill	228.6 x 70mm
ROCO RC	Rebound		Extreme Freeride/ Downhill	222 x 70mm
WORLD CUP	Preload		Extreme Freeride/ Downhill	215.5 x 63.5mm
	Alloy Shaft/ Alloy Body		Freeride/ All Mountain	200 x 57mm
			Freeride/ All Mountain	200 x 50mm
			Freeride/ All Mountain	190.5 x 50mm
			Extreme Freeride/ Downhill	241.3 x 76.2mm
	(TST) Terrain	Titanium Spring	Extreme Freeride/ Downhill	228.6 x 70mm
ROCO	Selection Technology	maniam opinig	Extreme Freeride/ Downhill	222 x 70mm
	Rebound		Extreme Freeride/ Downhill	215.5 x 63.5mm
TST R	Preload		Freeride/ All Mountain	200 x 57mm
			Freeride/ All Mountain	200 x 50mm
	Alloy Shaft/ Alloy Body		Freeride/ All Mountain	190.5 x 50mm
			Extreme Freeride/ Downhill	241.3 x 76.2mm
			Extreme Freeride/ Downhill	228.6 x 70mm
			Extreme Freeride/ Downhill	222 x 70mm
ROCO R	Rebound		Extreme Freeride/ Downhill	215.5 x 63.5mm
COIL	Preload		Freeride/ All Mountain	200 x 57mm
			Freeride/ All Mountain	200 x 50mm
			Freeride/ All Mountain	190.5 x 50mm
			All Mountain/ Cross Country	165.1 x 38.1mm
			Extreme Freeride/ Downhill	215.5 x 63.5mm
			Freeride/ All Mountain	200 x 50mm
ROCO AIR	Lock-up		Freeride/ All Mountain	190.5 x 50mm
3PL	Rebound		All Mountain/ Cross Country	165.1 x 38.1mm
			Cross Country	158.8 x 31.8mm
			Cross Country	152.4 x 24.1mm
			Cross Country	139.7 x 25.4mm
			Extreme Freeride/ Downhill	215.5 x 63.5mm
			Freeride/ All Mountain	200 x 57mm
ROCO R	Rebound		Freeride/ All Mountain	200 x 50mm
	ricbound		Freeride/ All Mountain	190.5 x 50mm
AIR			All Mountain/ Cross Country	165.1 x 38.1mm
			Cross Country	158.8 x 31.8mm
			Cross Country	152.4 x 24.1mm
			Cross Country	139.7 x 25.4mm

<sup>\*</sup>Specification and pricing subject to change without notice.


## **ROCO RC WORLD CUP**




## **ROCO TST R**



## **ROCO R COIL**



## **ROCO RACE 3PL**



## **ROCO R AIR**




## **OFFSET**

FORK 2006	STROKE	UPPER / LOWER CLAMP DISTANCE	CROWN OFF-SET [ B ]	WHEEL AXLE OFF-SET [ D ]	TOTAL FORK LENGTH [ F ]	TOTAL OFF-SET [ E
66 SL 1 ATA	140->180mm	/	18	26	565 w/ 180mm travel	44
66 SL 2 ATA	Adjustable	/	18	26	565 w/ 180mm travel	44
66 RC2X	160	/	18	26	545	44
66 RC2 ETA		/	18	26	545	44
GG RV ETA		/	18	26	545	44
S6 RCV		/	18	26	545	44
66 RV		/	18	26	545	44
66 RC2X	180	/	18	26	565	44
66 RC2 ETA		/	18	26	565	44
66 RV ETA		/	18	26	565	44
66 RCV		/	18	26	565	44
66 RV		/	18	26	565	44
B88 SL ATA	170->200mm					
	Adjustable	158	17.5	26	584 w/ 200mm travel	43.5
888 RC2X WORLD CUP	200mm	158	17.5	26	584	43.5
B88 RC2X VA		158	17.5	26	584	43.5
888 RC2 VA		158	17.5	26	584	43.5
888 RCV		158	17.5	26	584	43.5
888 RV		158	17.5	26	584	43.5
ALL MOUNTAIN SL 1	120>160	/	15.2	29.5	551 w/ 160mm travel	44.7
ALL MOUNTAIN SL 2	Adjustable	/	15.2	29.5	551 w/ 160mm travel	44.7
ALL MOUNTAIN 1	140	/	15.2	29.5	531	44.7
ALL MOUNTAIN 2		/	15.2	29.5	531	44.7
ALL MOUNTAIN 3		/	15.2	29.5	531	44.7
ALL MOUNTAIN 4		/	15.2	29.5	531	44.7
ALL MOUNTAIN 1	160	/	15.2	29.5	551	44.7
LL MOUNTAIN 2		/	15.2	29.5	551	44.7
ALL MOUNTAIN 3		/	15.2	29.5	551	44.7
ALL MOUNTAIN 4		/	15.2	29.5	551	44.7
IRT JUMPER 1	80	/	18	26.5	463	44.5
DIRT JUMPER 2		/	18	26.5	463	44.5
DIRT JUMPER 3		/	18	26.5	463	44.5
DIRT JUMPER 3						
STEEL STANCHIONS		/	18	26.5	463	44.5
DIRT JUMPER 4		/	18	26.5	463	44.5
DIRT JUMPER 1	100	/	18	26.5	483	44.5
DIRT JUMPER 2		/	18	26.5	483	44.5
DIRT JUMPER 3		/	18	26.5	483	44.5
DIRT JUMPER 3						
STEEL STANCHIONS		/	18	26.5	483	44.5
DIRT JUMPER 4		/	18	26.5	483	44.5
SUPER T RCV	180	187.8	18	26.5	574	44.5
SUPER T RV	180	187.8	18	26.5	574	44.5
IX PRO ETA	105	/	18	26.3	488	44.3
MX PRO LO	100	/	18	26.3	488	44.3
MX COMP		/	18	26.3	488	44.3
MZ RACE		190.5	18	26.3	488	44.3
NZ RACE		/	18	26.3	488	44.3
MX PRO ETA	120	/	18	26.3	503	44.3
MX PRO LO	120	/	18	26.3	503	44.3
MX PRO LO		,	18	26.3	503	44.3
		/	18	26.3	503	44.3
IZ RACE		/	18	26.3		44.3
IZ COMP	80	/	18		503 464	44.3
ORSA SL WC	80			26		44
ORSA SL RACE	400	,	18	26	464	4.4
ORSA SL WC	100	/	18	26	474	44
ORSA SL RACE	00.400	/	18	26	474	44
C SL 700	90->130mm	/	18	26	504 w/ 130mm travel	44
C SL 600	Adjustable	/	18	26	504 w/ 130mm travel	44
C 700	130	/	18	26	504	44
C 600		/	18	26	504	44
C 500		/	18	26	504	44
C 400		/	18	26	504	44
(C 700	100	/	18	26	474	44
C 600		/	18	26	474	44
C 500		/	18	26	474	44
C 400		/	18	26	474	44
1 LIGHT ETA	150	/	18	26.5	538	44.5
1 SPORT RCV	150	/	18	26.5	538	44.5
21 SPORT RV	150	/	18	26.5	538	44.5

2008


FORK SERIES	FORK NAME	PRIMARY COLOR	OPTIONAL COLORS	PRODUCTION	COLOR KEY
CORSA	CORSA SL WC	BEIGE PERLATO	BIANCA SEGNALE	ITALY	ITALIAN PRODUCTION
	CORSA SL RACE	BEIGE PERLATO	BIANCA SEGNALE	ITALY	
XC RETRO	VC 61 700	DELCE DEDI ATO	GRIGIO SCURO PERLATO, BIANCA SEGNALE	TAIV	MINT GREEN
ACREINO	XC SL 700 XC SL 600	BEIGE PERLATO  GRIGIO SCURO PERLATO	GRIGIO SCURO PERLATO, BIANCA SEGNALE  BEIGE PERLATO, BIANCA SEGNALE	ITALY	
	XC 700	GRIGIO SCURO PERLATO	BEIGE PERLATO, GRIGIO SCURO PERLATO, BIANCA SEGNALE	ITALY	
	XC 600	GRIGIO SCURO PERLATO	BEIGE PERLATO, BIANCA SEGNALE	ITALY	
	XC 500	BIANCA SEGNALE	BEIGE PERLATO, GRIGIO SCURO PERLATO	ITALY	NERO INTENSO
	XC 400	BIANCA SEGNALE	BEIGE PERLATO, GRIGIO SCURO PERLATO	ITALY	GLOSS BLACK
MX	MX PRO ETA	GUNMETAL	GLOSS BLACK	TAIWAN	
	MX PRO LO	GLOSS BLACK	GUNMETAL	TAIWAN	
	MX PRO	GLOSS BLACK	GUNMETAL	TAIWAN	
MZ	MZ RACE	GUNMETAL	PEARL WHITE	TAIWAN	NERO GRAFITE FLAT BLACK
	MZ COMP	PEARL WHITE	GUNMETAL	TAIWAN	FLAT BLACK
ALL MOUNTAIN	ALL MOUNTAIN SL 1	BIANCA SEGNALE	GRIGIO MUSCHIO, NERO GRAFITE	ITALY	
	ALL MOUNTAIN SL 2	GRIGIO MUSCHIO	BIANCA SEGNALE, NERO GRAFITE	ITALY	
	ALL MOUNTAIN 1	GRIGIO MUSCHIO	BIANCA SEGNALE, NERO GRAFITE	ITALY	GRIGIO MUSCHIO
	ALL MOUNTAIN 2	NERO GRAFITE	BIANCA SEGNALE, GRIGIO MUSCHIO	ITALY	ALL MOUNTAIN GRAY
	ALL MOUNTAIN 3	FLAT BLACK	GUNMETAL	TAIWAN	
	ALL MOUNTAIN 4	FLAT BLACK	GIUNMETAL	TAIWAN	
Z.1	Z.1 LIGHT ETA	BIANCA SEGNALE	NERO INTENSO	ITALY	
	Z.1 SPORT RCV	FLAT BLACK	GUNMETAL	TAIWAN	GRIGIO SCURO PERLATO
	Z.1 SPORT RV	FLAT BLACK	GUNMETAL	TAIWAN	CHARCOAL
	DROP OFF	FLAT BLACK	GUNMETAL	TAIWAN	
4X WC	4X WC	BIANCA SEGNALE	NERO INTENSO	ITALY	
DIRT JUMPER	DIRT JUMPER 1	BIANCA SEGNALE	NERO INTENSO, MINT GREEN	ITALY	BEIGE PERLATO
	DIRT JUMPER 2	BIANCA SEGNALE	NERO INTENSO, MINT GREEN	ITALY	BEIGE PEARL
	DIRT JUMPER 3	FLAT BLACK	PEARL WHITE	TAIWAN	
	DIRT JUMPER 3 (STEEL)	FLAT BLACK	PEARL WHITE	TAIWAN	
	DIRT JUMPER 4	FLAT BLACK	PEARL WHITE	TAIWAN	
66	66 SL 1 ATA	BIANCA SEGNALE	NERO GRAFITE	ITALY	BIANCA SEGNALE
	66 SL 2 ATA	BIANCA SEGNALE	NERO GRAFITE	ITALY	SIGNAL WHITE
	66 RC2X	BIANCA SEGNALE	NERO GRAFITE	ITALY	
	66 RC2 ETA	NERO GRAFITE	BIANCA SEGNALE	ITALY	
	66 RV ETA 66 RCV	NERO GRAFITE NERO GRAFITE	BIANCA SEGNALE  BIANCA SEGNALE	ITALY	TAIWAN PRODUCTION
	66 RV	NERO GRAFITE	BIANCA SEGNALE	ITALY	
999	6	DIANGS SECTION	NEGO SALETE		GLOSS BLACK
888	888 SL ATA 888 RC2X WORLD CUP	BIANCA SEGNALE BIANCA SEGNALE	NERO GRAFITE  NERO GRAFITE	ITALY	
	888 RC2X WORLD CUP	NERO GRAFITE	NERO GRAFITE BIANCA SEGNALE	ITALY	
	888 RC2 VA	NERO GRAFITE	BIANCA SEGNALE	ITALY	
	888 RCV	NERO GRAFITE	BIANCA SEGNALE	ITALY	FLAT BLACK
	888 RV	NERO GRAFITE	BIANCA SEGNALE	ITALY	FLAT BLACK
SUPER T	SUPER T RCV	WHITE	GUNMETAL	TAIWAN	
	SUPER T RV	FLAT BLACK	PEARL WHITE	TAIWAN	
TXC	TXC LOCK-OUT	SILVER	GUNMETAL	TAIWAN	GUNMETAL
///	TXC 1	SILVER	GLOSS BLACK	TAIWAN	
	TXC 2	SILVER	GLOSS BLACK	TAIWAN	
	I			I	PEARL WHITE

 $<sup>{}^\</sup>star \text{Specification}$  and pricing subject to change without notice.











MX Pro ETA in Gunmetal fork color




MZ Race in Gunmetal fork color



All Mountain SL 1 in Bianca Segnale fork color







Z.1 Light ETA in Bianca Segnale fork color








2006


MANUFACTURED IN ITALY / TAIWAN

## **FORK DECALS**



## **CONSUMERS CHOOSE MARZOCCHI**

#### Reader Poll from MTBR.com



#### Survey Taken from Hi-Torque Publications Media Guide



## **OEM AGREEMENT**

This is an agreement between the subscribed company and Marzocchi S.p.A.

With the subscription of this document the subscribed company takes note that Marzocchi S.p.A. has set to be a selective distributor of its own products selecting both bicycles manufacturers and after market distributors who can assure a high professional standard.

Regarding the above mentioned, the subscribed company takes note and recognizes that the supplied suspensions will be used exclusively for bicycles' assembling and that their resale is prohibited except assembled on the complete bicycle or on the frame having Marzocchi suspension assembled with cut steer tube and packed together with headset and stem; this because the distribution of the suspensions outside of the selected channels used by Marzocchi S.p.A. could cause distribution problems that may have negative effects on the product's reputation and for user's safety.

The parties agree that if the undersigned does not comply with the obligations in this agreement, the subscribed company will pay damages to Marzocchi S.p.A., as a reasonable indemnity for the harms caused to Marzocchi S.p.A. These indemnity will be equal to 75% of the aggregate amount paid for all the products purchased by the subscribed company which were resold in violation of this agreement. The payment of this sum shall be done within 30 days from receipt of Marzocchi S.p.A. invoice and it has to be considered like a liquidation of the damages that Marzocchi S.p.A. will suffer in such event.

In addition to the payment of the indemnity, with the subscription of this document the subscribed company recognizes to Marzocchi S.p.A. the right to consider being cancelled immediately any kind of supplying contract in case of violation of the above mentioned obligations.

This agreement is valid for one year.

Customer Signature

Date



## **MARZOCCHI DIRECTORY**

#### MARZOCCHI S.p.A.

[physical] Via Grazia, 2 « 40069 Zola Predosa « Bologna, Italy

[tel] ++39 051 6168711

[fax] ++39 051 758857 [marketing & sales] ++39 051 755237 [accounts]

++39 051 6168892 [finance]

#### ADMINISTRATION

President & CEO	Paolo Marzocchi	++39 051 6168 711	p.m@marzocchi.it
Vice President Finance	Alessandro Volta	++39 051 6168 837	a.v@marzocchi.it
Vice President Credit & Collections	Ledo Gnudi	++39 051 6168 828	I.g@marzocchi.it
Vice President Quality Assurance & Operations	Gabriele Bonfiglioli	++39 051 6168 821	g.b@marzocchi.it
Vice President Engineering & Research	Enrico Pezzi	++39 051 6168 749	enrico.pezzi@marzocchi.it
Vice President Marketing & Sales	Andrea Pierantoni	++39 051 6168 852	a.p@marzocchi.it
Vice President Logistics	Dalmazio Balboni	++39 051 6168 865	Dalmazio.balboni@marzocchi.it

#### CUSTOMER SERVICE

OEM Logistics	Maria Elena Landi	++39 051 6168 882	mariaelena.landi@marzocchi.it
After Market Logistics	Monica Burroni	++39 051 6168 875	m.b@marzocchi.it
Traffic Supervisor	Carlotta Scorzoni	++39 051 6168 818	c.s@marzocchi.it
After Market Customer Assistant	Piero Rigamonti	++39 051 6168 842	p.r@marzocchi.it
Customer Quality Assurance Manager	Tullia Torroni	++39 051 6168 728	tullia.torroni@marzocchi.it

#### MARKETING

Marketing & Communications Manager	Maria Elena Rondinini	++39 051 6168 822	m.r@marzocchi.it
OEM Customer Assistant	Jessica Morisi	++39 051 6168 873	j.m@marzocchi.it

#### EUROPE

Customer Service/ Tech Support - D-A-CH-NL-PL-C2	++49 177 2776363	info@marzocchiger.de	
Customer Service/ Tech Support - F-S-P-B	Stéphane Guillaume	++33 686 467343	Stephmarzo@orange.fr

#### MARZOCCHI USA

[physical] 25213 Anza Drive « Valencia, California 91355 [tel] 661 257 6630 [fax] 661 257 6636

Vice President / CEO	Bryson Martin	661 257 6630	brysonm@marzocchiusa.com
General Manager - Operations	Eric Heberer	661 257 6630	erich@marzocchiusa.com
General Manager - Sales & Technical Services	John Pelino "JP"	661 257 6630	johnp@marzocchiusa.com
Purchasing	Moises Cotez	661 257 6630	moisesc@marzocchiusa.com
Customer Quality Assurance Supervisor	Tom Rogers	661 257 6630	tomr@marzocchiusa.com
Creative Director	Chris Macabitas	661 257 6630	chrism@marzocchiusa.com

#### MARZOCCHI ASIA

[physical] 36F-A2, No 760 Chung Ming South Road  $\mbox{\ensuremath{\text{\textbf{K}}}}$  Taichung, Taiwan, R.O.C. [tel] +886 4 22634382

[fax] +886 4 22634380

General Manager	Fabio Sturaro	+886 4 22634382	fabio.sturaro@marzocchiasia.com
General Manager Assistant	Arthur Shiau	+886 4 22634382	arthur.shiau@msa.hinet.net
Sales Department	Jamie Chang	+886 4 22634382	jamie.chang@marzocchiasia.com

#### MARZOCCHI CANADA

[physical] 1450 Rupert Street, North Vancouver, BC V7J 1E9

[tel] 604 986 3675 [fax] 604 986 3672

President	Bryson Martin	604 986 3688
General Manager	James Durand	604 986 3688
Suspension Technician	Naz Evangelista	604 986 3675

brysonm@marzocchicanada.com jamesd@marzocchicanada.com naze@marzocchicanada.com





#### MARZOCCHI S.p.A.

[physical] Via Grazia, 2 40069 Zola Predosa Bologna, Italy [tel] ++39 051 6168711 [fax] ++39 051 758857

#### MARZOCCHI USA

[physical] 25213 Anza Drive Valencia, California 91355 [tel] 661 257 6630 [fax] 661 257 6636

#### MARZOCCHI CANADA

[physical] 1450 Rupert Street North Vancouver, BC V7J 1E9 [tel] 604 986 FORK [fax] 604 986 3672

#### MARZOCCHI ASIA

[physical] 36F-A2, No 760 Chung Ming South Road Taichung, Taiwan, R.O.C. [tel] +886 4 22634382 [fax] +886 4 22634380